professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SECTION 1: Identification c	of the substance/mixture and of	the company/undertaking	
1.1. Product identifier			
ESI Xtreme Pro - Comp. A	A		
1.2. Relevant identified uses o	f the substance or mixture and use	es advised against	
Use of the substance/mixtu	re		
Adhesive mortar for faster	ning elements A-component (resin)		
Uses advised against			
no restriction			
1.3. Details of the supplier of t	<u>he safety data sheet</u>		
Company name:	EXPANDET SCREW ANCHORS	S A/S	
Street:	Svendebuen 2-6		
Place:	DK-3230 Græsted		
Telephone:	+45 70227979	Telefax:+45 70227989	
e-mail:	expandet@expandet.dk		
1.4. Emergency telephone	+45 70227979		
<u>number:</u>			

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: May cause an allergic skin reaction. May cause respiratory irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

ethylene dimethacrylate Methacrylic acid, monoester with propane-1,2-diol

Signal word: Warning

Pictograms:



Hazard statements

H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

Precautionary statements

•	oouullonuly olulon	
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P363	Wash contaminated clothing before reuse.
	P405	Store locked up.
	P501	Dispose of contents/container to in accordance with local/regional/national/international



according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. A

Revision date: 09.01.2017

Product code: SDB0030

Page 2 of 8

regulation.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Reg	ulation (EC) No. 1272/2008 [CLP]	
97-90-5	ethylene dimethacrylate			10 - < 15 %
	202-617-2	607-114-00-5		
	STOT SE 3, Skin Sens. 1; H335	H317		
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			5 - < 10 %
	248-666-3		01-2119490226-37	
	Eye Irrit. 2, Skin Sens. 1; H319	H317		
14808-60-7	Quartz (< 10µm) *			1 - < 5 %
	238-878-4			
	STOT RE 1; H372			
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol			< 1 %
	254-075-1			
	Acute Tox. 2, Eye Dam. 1, Aqua	atic Chronic 3; H300 H318 H412		

Full text of H and EUH statements: see section 16.

Further Information

This mixture includes a fine fraction of crystalline quartz. However, alveolar permeability can be ruled out as the quartz is irreversibly bound into the paste-like component and therefore not freely available. Subsequent drilling, grinding or other treatment can also not result in the free availability of this alveolar permeable quartz. Pursuant to Article 6 of CLP Regulation 1272/2008/EU classification and labelling as SLOT RE 2 is not required.

SVHC Liste (Candidate List of Substances of Very High Concern for authorisation): substances are not contained or are below 0,1%.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.



according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. A

Revision date: 09.01.2017

Product code: SDB0030

Page 3 of 8

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder Water spray jet Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet Foam.

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Keep only in the original container in a cool, well-ventilated place.

professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. A

Revision date: 09.01.2017

Product code: SDB0030

Page 4 of 8

Advice on storage compatibility

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

storage temperature : 5-25°C

7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Paste light beige		
			Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		not determined	
Flash point:		not applicable	
Flammability			
Solid:		not determined	
Gas:		not applicable	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 09.01.2017 Product of Lower explosion limits:	ode: SDB0030	Page 5 of 8
Lower explosion limits:		Ŭ
	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature Solid: Gas:	not determined	
Decomposition temperature:	not applicable not determined	
Oxidizing properties Not oxidizing.		
Vapour pressure:	not determined	
Density (at 20 °C):	1,72 g/cm ³	
Water solubility:	insoluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
	oral	LD50	11200 mg/kg	Rat	
	dermal	LD50	> 5000 mg/kg	Rabbit	
38668-48-3	1,1´-(p-Tolylimino)dipropan-2-ol				
	oral	LD50	27,5 mg/kg	Rat	

professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. A

Revision date: 09.01.2017

Product code: SDB0030

Page 6 of 8

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Further information

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. A

Revision date: 09.01.2017

Product code: SDB0030

Page 7 of 8

SECTION 14: Transport information

Land transport (ADR/RID)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Inland waterways transport (ADN)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Marine transport (IMDG)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Air transport (ICAO-TI/IATA-DGR)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	no			
14.6. Special precautions for user				
No information available.				
14.7. Transport in bulk according to An	nex II of Marpol and the IBC Code			
not applicable				
SECTION 15: Regulatory informatio	n			
e <i>i</i>				
	regulations/legislation specific for the substance or mixture			
EU regulatory information				
2004/42/EC (VOC):	6,9 Gew.% (DIN EN ISO 11890-2)			
Additional information				
To follow: 850/2004/EC , 79/117/EE	C , 689/2008/EC			
National regulatory information				
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).			
Water contaminating class (D):	1 - slightly water contaminating			
15.2. Chemical safety assessment				
	ubstances in this mixture were not carried out.			
SECTION 16: Other information				

Changes

This data sheet contains changes from the previous version in section(s): 3,5,15.

professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. A

Revision date: 09.01.2017

Product code: SDB0030

Page 8 of 8

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

- H300 Fatal if swallowed.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H372 Causes damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B				
Revision date: 19.12.2016	Product code: SDB0	0020 Page 1 c		
SECTION 1: Identification of	of the substance/mixture and o	f the company/undertaking		
1.1. Product identifier				
ESI Xtreme Pro - Comp. I				
1.2. Relevant identified uses of	of the substance or mixture and us	ses advised against		
Use of the substance/mixtu	Ire			
compound mortar B-comp	oonent (hardener)			
Uses advised against				
no restriction				
1.3. Details of the supplier of t				
Company name:	EXPANDET SCREW ANCHOR	S A/S		
Street:	Svendebuen 2-6			
Place:	DK-3230 Græsted			
Telephone:	+45 70227979	Telefax:+45 70227989		
e-mail:	expandet@expandet.dk			
1.4. Emergency telephone	+45 70227979			
<u>number:</u>				
SECTION 2: Hazards identi	fication			
2.1. Classification of the subs	tance or mixture			
Regulation (EC) No. 1272/200)8			
Hazard categories:				
Respiratory or skin sensit	sation: Skin Sens. 1			
Hazard Statements:				
Causes serious eye irritat				
May cause an allergic ski	n reaction.			
2.2. Label elements				
Regulation (EC) No. 1272/200)8			

Regulation (EC) No. 1272/2008

Hazard components for labelling dibenzoyl peroxide; benzoyl peroxide Signal word: Warning

Pictograms:



Hazard statements

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.

Precautionary statements

ecautionary st	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to in accordance with local/regional/national/international regulation.

2.3. Other hazards

This substance meets the PBT criteria of REACH, annex XIII.

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B

Revision date: 19.12.2016

Product code: SDB0020

Page 2 of 8

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Reg	gulation (EC) No. 1272/2008 [CL	_P]	
94-36-0	dibenzoyl peroxide; benzoyl peroxide			10 - < 15 %
	202-327-6	617-008-00-0	01-2119511472-50	
	Org. Perox. B, Eye Irrit. 2, Skin			
5444-75-7	2-Ethylhexyl benzoate			1 - < 5 %
	226-641-8			
	Aquatic Chronic 4; H413			
14808-60-7	60-7 Quartz (< 10μm) *			1 - < 5 %
	238-878-4			
	STOT RE 1; H372			

Full text of H and EUH statements: see section 16.

Further Information

This mixture includes a fine fraction of crystalline quartz. However, alveolar permeability can be ruled out as the quartz is irreversibly bound into the paste-like component and therefore not freely available. Subsequent drilling, grinding or other treatment can also not result in the free availability of this alveolar permeable quartz. Pursuant to Article 6 of CLP Regulation 1272/2008/EU classification and labelling as SLOT RE 2 is not required.

SVHC Liste (Candidate List of Substances of Very High Concern for authorisation): substances are not contained or are below 0,1%.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated, saturated clothing.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B

Revision date: 19.12.2016

Product code: SDB0020

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder Water spray jet

Unsuitable extinguishing media

Full water jet Foam.

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Use protective skin cream before handling the product.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

Advice on storage compatibility

Do not use for products which come into contact with the food stuffs. Store in a well-ventilated place. Keep cool.

professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B

Revision date: 19.12.2016

Product code: SDB0020

Page 4 of 8

Further information on storage conditions

Keep container tightly closed in a cool place. storage temperature 5-25°C

7.3. Specific end use(s)

see section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls



Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection:Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Paste black

characteristic

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	
Colour:	
Odour:	

pH-Value:

Changes in the physical state Melting point:

Revision No: 1,06,0 - Replaces version: 1,05

Test method

not applicable

not determined

Print date: 09.01.2017

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B			
Revision date: 19.12.2016	Product code: SDB0020	Page 5 of 8	
Initial boiling point and boiling range:	not determined		
Flash point:	not applicable		
Flammability Solid: Gas:	not determined not applicable		
Lower explosion limits:	not determined		
Upper explosion limits:	not determined		
Auto-ignition temperature Solid: Gas:	not determined not applicable		
Decomposition temperature:	not determined		
Oxidizing properties Not oxidizing. Available oxygen content (%) < 1% no classification			
Vapour pressure:	not determined		
Density (at 20 °C):	1,59 g/cm³		
Water solubility:	insoluble		
Solubility in other solvents not determined			
Partition coefficient:	not determined		
Vapour density:	not determined		
Evaporation rate:	not determined		
9.2. Other information			
Solid content:	not determined		
SECTION 10: Stability and reactivity			

10.1. Reactivity

see section 10.3

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent

10.4. Conditions to avoid

see section 7.2

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B

Revision date: 19.12.2016

Product code: SDB0020

Page 6 of 8

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
5444-75-7	2-Ethylhexyl benzoate				
	oral	LD50	> 2000 mg/kg	Rat	

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances Classified as hazardous waste.



professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B

Revision date: 19.12.2016

Product code: SDB0020

Page 7 of 8

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user	
No information available.	
14.7. Transport in bulk according to An	nex II of Marpol and the IBC Code
not applicable	
SECTION 15: Regulatory information	n
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture
EU regulatory information	
2004/42/EC (VOC):	4,3 Gew % (DIN EN ISO 11890-2)
Additional information	
To follow: 850/2004/EC , 79/117/EE	C , 689/2008/EC
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

Water contaminating class (D):

nursing mothers.

2 - water contaminating

professional fastening technology

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ESI Xtreme Pro - Comp. B

Revision date: 19.12.2016

Product code: SDB0020

Page 8 of 8

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,8,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

- H241 Heating may cause a fire or explosion.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H372 Causes damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)